

# POSTERS' ABSTRACTS

---

- Investigate the post-transcriptional control of mitochondrial gene expression, the example of the PPR family** P 1.1  
Andres C., Barbier G., Small I., Lurin C.
- Analysis of RNA silencing systemic signal in agroinfected leaves of cocoa (*Theobroma cacao* L.)** P 1.2  
Andrieu A., Lanaud C., Dedieu F., Breitler J.C.
- Steps towards the production of a function map in peach (*Prunus persica*)** P 1.3  
Barale F., Lazzari B., Abbott A., Salamini F., Pozzi C.
- The use of  $\mu$ PEACH 1.0 to investigate the role of ethylene in the initiation of peach fruit ripening** P 1.4  
Begheldo M., Ziliotto F., Rasori A., Bonghi C., Ramina A.
- Creation of genomic tools from BAC crop species collections for efficient gene isolation** P 1.5  
Bellec A., Prat E., Vautrin S., de Tarragon L., Fourment J., Gautier N., Bergès H.
- Functional genomics to dissect drought signal transduction in cereals by using *A. thaliana* as model system** P 1.6  
Belloni S., Mastrangelo A.M., Rizza F., Mazzucotelli E., Marè C., Guerra D., Rizzo F., Stanca A.M., Cattivelli L.
- Analysis of RNA silencing transitivity in agroinfected leaves of rice (*Oryza sativa* L.)** P 1.7  
Breitler J.C., Andrieu A., Sire C., Perin C., Meynard D., Guiderdoni E.
- Transcriptome analysis of four chloroplast developmental barley mutants** P 1.8  
Campoli C., Svensson J., Caffarri S., Bassi R., Stanca A.M., Close T.J., Cattivelli L., Crosatti C.
- TILLING in tomato: development of an EMS mutant collection and molecular screening for point mutations** P 1.9  
Carriero F., Petrozza A., D'Onofrio O., Sozio G., Minoia S., Piron F., Bendahmane A., Caboche M., Cellini F.
- SNP detection in *Hordeum chilense*** P 1.10  
Castillo A., Pascual P., Dorado G., Heinze B., Hernandez P.

<b>FLUO-TILL: a high-throughput platform for TILLING analysis</b>	<b>P 1.11</b>
Celestini F., Talamè V., Sclep G., Losini I., Bovina R., Salvi S., Tuberosa R., Piffanelli P.	
<b>Full-length cDNA production based on RNA tagging by T4-DNA ligase and a grapevine transcript inventory</b>	<b>P 1.12</b>
Clepet C., Jublot D., Caboche M.	
<b>“Genomic Pedigree”: a new approach to look for a needle in a haystack</b>	<b>P 1.13</b>
Del Bianco F., Carboni A.	
<b>Differential gene expression analysis of durum wheat under salt stress condition</b>	<b>P 1.14</b>
D'Onofrio O., Carriero F., De Vita P., Mango T., Sozio G., Riccardi P., Cifarelli R.A.	
<b>Creating the European Research Area in Plant Genomics</b>	<b>P 1.15</b>
ERA-NET Plant Genomics	
<b>Structuring Plant Genomic Research in Europe, ERA-PG first call for proposals</b>	<b>P 1.16</b>
ERA-NET Plant Genomics	
<b>Establishment of large mutant families of tomato for gene knockouts and other important traits</b>	<b>P 1.17</b>
Galvez H.F., Narciso J.O., Opina N.L., Canama A.O., Tongson E.J.U., Colle M.G., Frankie R.B., Hautea D.M.	
<b>A TILLING population for barley cultivar Barke</b>	<b>P 1.18</b>
Gottwald S., Bauer P., Altschmied L., Stein N.	
<b>Establishment of a TILLING platform for sugar beet</b>	<b>P 1.19</b>
Hohmann U., Jung C.	
<b>Gateway vectors for plant genome analysis</b>	<b>P 1.20</b>
Karimi M., De Meyer B., Vanderhaegen R., Nguyen L., Genetello C., Inzé D., Hilson P.	
<b>A DArT platform for high-throughput profiling in durum wheat</b>	<b>P 1.21</b>
Kilian A., Catizone I., Wenzl P., Huttner E., Mantovani P., Maccaferri M., DeAmbrogio E., Corneti S., Sanguineti M.C., Tuberosa R.	
<b>SNP marker development and application in soybean breeding</b>	<b>P 1.22</b>
Lee S.H., Van K., Kim M.Y., Cai C.M., Jang Y.E.	
<b>The maize TILLING project</b>	<b>P 1.23</b>
Monde R.A., Till B.J., Chambers C., Daniel D., Sahm H., Connors L., Eichstedt M., Spicer L., Weisser S., Xavier T., Greene E., Henikoff J., Springer N., Hsia A.P., Dunham T., Schnable P., Neuffer G., Hake S., Henikoff S., Comai L., Weil C.	

- Chromatin immunoprecipitation-ChIP/chip of seed specific transcription factors** P 1.24  
Mönke G., Hähnel U., Weisshaar B., Vorwieger A., My Linh T., Tiedemann J., Moor M., Czihal A., Conrad U., Grosse I., Altschmied L., Bäumlein H.
- The chilean peach functional genomics initiative, a platform to improve fruit quality** P 1.25  
Orellana A., Cambiazo V., Campos R., Defilippi B., Gonzalez M., Meisel L., Silva H.
- Expression profiling of barley (*Hordeum vulgare* L.) under boron toxicity via DNA microarrays** P 1.26  
Oz M.T., Yilmaz R., Eyidogan F., de Graaff L., Yucel M., Oktem H.A.
- Application of HAPPY mapping strategy for a high-resolution linkage map of grape (*Vitis vinifera* L.)** P 1.27  
Pea G., Angeretti C., Pè E.
- Towards genetic and transcriptional dissection of Soil-borne cereal mosaic virus resistance in hexaploid wheat (*Triticum vulgare* ssp. *aestivum*)** P 1.28  
Perovic D., Winter A., Weyen J., Schondelmaier J., Förster J., Devaux P., Hariri D., Guilleroux M., Feuerhelm D., Graner A., Ordon F.
- BAC pooling as a strategy to identify target regions of the grapevine genome** P 1.29  
Pindo M., Malacarne G., Faes G., Coppola G., Segala C., Grandò M.S., Troglio M., Velasco R.
- Cis-acting regulatory variation in white poplar (*Populus alba*)** P 1.30  
Prete G., Radovic S., Vischi M., Morgante M.
- Constitutive expression of the rice *DREB1B* gene leads to improved abiotic stress tolerance in transgenic tobacco without any adverse effect on plant growth** P 1.31  
Reddy G.L., Reddy A.R.
- DART, a whole genome profiling method for high-throughput genotyping of *Musa*** P 1.32  
Risterucci A.M., Hippolyte I., Caig V., Carling J., Evers M., Uszynski G., Wenzl P., Xia L., Huttner E., Glaszmann J.C., Kilian A.
- FISH and flow: karyotyping and sorting of durum wheat *in situ* labelled chromosomes in suspension** P 1.33  
Roselli M., Fiocchetti F., De Vita P., Nardi L., Lucretti S.
- Dealing with marker-assisted selection in the segmental allotetraploid species *Rosa damascena* f. *trigintipetala*** P 1.34  
Rusanov K., Kovacheva N., Atanassov A., Atanassov I.

<b>Deep sequencing of tomato small RNAs</b>	<b>P 1.35</b>
Rusholme R., Moxon S., Moulton V., Dalmay T.	
<b>Nucleotide diversity of the wheat leaf rust resistance gene <i>Lr10</i> in wild emmer wheat populations from Israel</b>	<b>P 1.36</b>
Sela H., Nevo E., Fahima T.	
<b>A deep-coverage BAC library specific for the short arm of rye chromosome 1R (1RS)</b>	<b>P 1.37</b>
Simkova H., Safar J., Suchankova P., Kovarova P., Janda J., Bartos J., Kofler R., Kubalaková M., Cihalikova J., Lelley T., Dolezel J.	
<b>European Research Area Network in Plant Genomics (ERA-PG): a study of barriers that hinder transnational research cooperation</b>	<b>P 1.38</b>
Strée B., Job D., Quéfier F.	
<b>A barley (cv. 'Morex') TILLING resource for cereals reverse genetics</b>	<b>P 1.39</b>
Talamè V., Bovina R., Sanguineti M.C., Piffanelli P., Salvi S.	
<b>Establishment of EMS populations for TILLING in diploid, tetraploid and hexaploid wheat</b>	<b>P 1.40</b>
Tearall K., Jing H.C., Madgwick P., Kanyuka K., Habash D., Parry M., Hammond-Kosack K., Phillips A.	
<b>RNAi for wheat functional genomics</b>	<b>P 1.41</b>
Travella S., Keller B.	
<b>Motif-directed profiling: targeting genetic variation in genes that matters</b>	<b>P 1.42</b>
van der Linden G., Ryzhova N., Smulders R., Vosman B.	
<b>Development of genomic and post genomic platforms for industrial hemp</b>	<b>P 1.43</b>
Vidmar J.J., Slaski J.J., Mahmood T., Quandt J., Deyholos M.	
<b>New utility tools for tandem repeat data mining</b>	<b>P 2.1</b>
Bilgen M., Ince A.G., Onus A.N., Karaca M.	
<b>Identification of intracellular signaling interactants of the Wall-Associated Kinase 1 (WAK1)</b>	<b>P 2.2</b>
Boland A., Decreux A., Van Cutsem P., Messiaen J.	
<b>Submap: adding version control and integrated data management to FPC-based integrated physico-genetic maps</b>	<b>P 2.3</b>
Borm T.	
<b>Arabidopsis and rice annotation in UniProtKB/Swiss-Prot, the manually annotated section of the UniProt Knowledgebase</b>	<b>P 2.4</b>
Boutet E., Lieberherr D., Tognolli M., Schneider M., Bairoch A., the UniProt consortium	

<b>Microsatellite analysis of chromosome 3B of common wheat (<i>Triticum aestivum</i> L.)</b>	<b>P 2.5</b>
Chebotar S., Sourdille P., Balfourier F., Feuillet C., Bernard M.	
<b>Semantic approach to genome annotation of <i>Vitis vinifera</i></b>	<b>P 2.6</b>
Fontana P., Cestaro A., Demattè L., Velasco R., Toppo S.	
<b>EST2uni: an open, parallel tool for automated EST analysis, and database creation with a data mining web interface</b>	<b>P 2.7</b>
Forment J., Gilabert F., Robles A., Conejero V., Nuez Viñals F., Blanca Postigo J.M.	
<b><i>In vitro</i> and <i>in silico</i> approaches to determine the tissue/organ specific microsatellite DNA gene contents in <i>Capsicum</i> cDNA libraries</b>	<b>P 2.8</b>
Ince A.G., Karaca M., Naci Onus A.	
<b>GABI-Primary Database: a source of 'plantomic' data</b>	<b>P 2.9</b>
Kersten B., Meyer S., Nagel A., Basekow R., Maurer J., Drescher B.	
<b>Genome-wide analysis of abiotic stresses with the rice 60K oligomeric DNA microarray</b>	<b>P 2.10</b>
Kim Y.K., Kim M., Choi Y.D., Lee J.S., Song S.I., Galbraith D., Nahm B.H., Kim J.K.	
<b>Sequence analysis of <i>Allium</i> alliinases</b>	<b>P 2.11</b>
Lasala R.A.S., Panes V.A., Tolentino V.S., Chan M.A.	
<b>Analysis of transcription factor binding sites in seed specific promoters in <i>Arabidopsis thaliana</i></b>	<b>P 2.12</b>
Mohr M., Bäumlein H., Grau J., Posch S., Tiedemann J., Vorwieger A., Grosse I.	
<b>The ectomycorrhizal symbiotic interaction of <i>Castanea sativa</i> and <i>Pisolithus tinctorius</i>: a metabolite profiling approach by GC-MS and its integration with previous transcript profiling results from cDNA microarrays</b>	<b>P 2.13</b>
Pessoa F.V., Santos B.A., Sebastiana M.G., Kopka J., Pais M.S.	
<b>A new bioinformatic resource for Solanaceae plant-photogen interaction analysis</b>	<b>P 2.14</b>
Sanseverino W., Faiono L., Melito S., Monti L., Roma G., Maselli V., Stupka E., Frusciante L., Ercolano M.R.	
<b>Integrating, aggregating, networking: web services for integrating plant genomic data</b>	<b>P 2.15</b>
Schoof H., The Web Services for Arabidopsis Data Integration Project	
<b>Bioinformatics for the analysis of genome and proteome in Triticeae</b>	<b>P 2.16</b>
Shahinnia F., Khayyam Nekouei M.	

- Functional characterization of the WRKY transcription factor gene family in rice** P 3.1  
 Abbruscato P., Berri S., Bruschi G., Faivre-Rampant O., Guiderdoni E., Pè M.E., Piffanelli P.
- Cot filtration of the banana (*Musa acuminata*) genome** P 3.2  
 Aert R., Hribova E., Dolezel J., Swennen R., Sagi L.
- Class prediction of closely related citrus varieties using gene expression profiling** P 3.3  
 Ancillo G., Gadea J., Forment J., Guerri J., Navarro L.
- Identification of novel functional genes in the Arabidopsis genome supported by transcriptome data** P 3.4  
 Aubourg S., Martin-Magniette M., Brunaud V., Taconnat L., Bitton F., Thareau V., Schiex T., Caboche M., Lecharny A., Renou J.P.
- Antioxidative response of carrot top1b-deficient cells after UV-C treatment** P 3.5  
 Balestrazzi A., Locato V., Botti S., De Gara L., Carbonera D.
- Down-regulation of the CaMV35S-driven expression of StSy and bar transgenes at the onset of dormancy in poplar** P 3.6  
 Balestrazzi A., Bonadei M., Quattrini E., Carbonera D.
- Heat shock- and Ethylene Response Element-like-proteins represent new molecular components of the anaerobic responses of Arabidopsis and rice** P 3.7  
 Banti V., Gonzali S., Licausi F., Lasanthi-Kudahettige R., Loreti E., Magneschi L., Novi G., Alpi A., Perata P.
- Genomics of small RNAs during virus infections in plants** P 3.8  
 Barajas D., Martínez-Priego L., Wang Y., Donaire L., Llave C.
- Characterization of the potato *Gro1* locus conferring resistance to the rooty cyst nematode *Globodera*** P 3.9  
 Bellin D., Paal J., Gebhardt C.
- Isolation and characterisation of gene-near GC rich islands from plant genomes** P 3.10  
 Berenyi M., Fluch S., Wandl S., Mauleon R., Friedl R., Boonruangrod R., Burg K.
- Comparison of an orthologous locus in the small grass genomes rice and *Brachypodium*: implications for grass genome annotation and wheat genome analysis** P 3.11  
 Bossolini E., Wicker T., Knobel P., Keller B.

- The sunflower genome: analysis of the repetitive component in *Helianthus annuus* and related species** P 3.12  
Cavallini A., Natali L., Giordani T., Ferrillo V., Jurman I., Zuccolo A., Vitacolonna N., Sarri V., Ceccarelli M., Cionini P.G., Morgante M.
- Microsatellite analysis of chromosome 3B of common wheat (*Triticum aestivum* L.).** P 3.13  
Chebotar S.V., Sourdille P., Balfourier F., Feuillet C., Bernard M.
- Towards genomics of root hair development in barley** P 3.14  
Chmielewska B., Janiak A., Ligeza A., Szarejko I., Maluszynski M.
- Are ploidy and parent-of-origin effects observed at a gene expression level in *Arabidopsis* seedlings?** P 3.15  
Clifton R., Garnier O., Prins P., Spillane C.
- From Expressed Sequence Tags (EST) databases to candidate gene mapping in *Cichorium intybus* (L.), the industrial chicory** P 3.16  
Dauchot N., Muys C., Van Cutsem P.
- Functional genomics of *Medicago truncatula* leaf senescence** P 3.17  
De Michele R., Todesco M., Zottini M., Barizza E., Formentin E., Bastianelli F., Terzi M., Lo Schiavo F.
- Sequencing of large genomic regions in Norway spruce (*Picea abies*): an insight into a complex conifer genome** P 3.18  
De Paoli E., Morgante M.
- Sugar beet genomics: comparative analysis and construction of a physical map** P 3.19  
Dohm J.C., Lange C., Himmelbauer H.
- Production of human vaccines in plants** P 3.20  
Feilner T., Lavelle E., Boyd A., O'Hagan D., Spillane C.
- Basal regulation of genes commonly associated with the defense mechanism in *Vitis vinifera* multi-resistant 'Regent' cultivar** P 3.21  
Figueiredo A.C., Sebastiana M.G., Ferreira S.I., Fortes M., Dos Santos B.A., Pessoa F.V., Sousa L., Cardoso H., Pais M.S.
- Mapping of new microsatellite loci derived from ESTs in durum wheat** P 3.22  
Gadaleta A., Zacheo S., Simeone R., Giancaspro A., Mangini G., Blanco A.
- Positional cloning of genes involved in iron homeostasis in pea** P 3.23  
Gucciardo S., Dupin A., Dalmais M., Rameaux C., Gaymard F., Bendahmane A.

<b>Characterization of the highly repeated part of the banana genome</b>	<b>P 3.24</b>
Hribova E., Macas J., Dolezelova M., Dolezel J.	
<b>Characterization of expressed <i>Pgip</i> genes in rice and wheat identifies an active PGIP lacking an entire LRR repeat</b>	<b>P 3.25</b>
Janni M., Di Giovanni M., Roberti S., Capodicasa C., D'Ovidio R.	
<b>Proteome of the potato tuber vacuole. Targeting signals</b>	<b>P 3.26</b>
Jørgensen M., Welinder K.G.	
<b>The barley ERF-type transcription factor HvRAF confers enhanced pathogen resistance and salt tolerance</b>	<b>P 3.27</b>
Jung J., Won S.Y., Suh S.C., Kim H.R., Wing R., Jeong Y., Hwang I., Kim M.	
<b>Cassandra: A TRIM retrotransposon that carries independently transcribed 5S RNA</b>	<b>P 3.28</b>
Kalendar R., Tanskanen J., Chang W., Sela H., Antonius-Klemola K., Bolshoy A., Schulman A.H.	
<b>NMR-based metabolomic study of transgenic rice</b>	<b>P 3.29</b>
Keymanesh K., Kiani N., Ghareyazi B., Sardari S.	
<b>Genome-specific markers for A, B and G <i>Triticum</i> genomes</b>	<b>P 3.30</b>
Golovnina K., Glushkov S., Blinov A., Goncharov N.	
<b>Generation of a sugar beet physical map in BACs utilising oligonucleotide probes</b>	<b>P 3.31</b>
Lange C., Dohm J.C., Himmelbauer H.	
<b>Gene expression after short- and long-term cold-treatments in <i>Populus alba</i></b>	<b>P 3.32</b>
Maestrini P., Cavallini A., Rizzo M., Bernardi R., Durante M., Natali L.	
<b>SAR; A genomic approach to induced resistance in <i>Arabidopsis thaliana</i></b>	<b>P 3.33</b>
J. Martín E.J., Perales L., Tornero P.	
<b>Molecular markers as a tool for potato varieties identification</b>	<b>P 3.34</b>
Novakova A., Simackova k., Barta J., Curn V.	
<b>Characterizing the composition and evolution of homoeologous genomes in hexaploid wheat through BAC-end sequencing on chromosome 3B</b>	<b>P 3.35</b>
Paux E., Roger D., Badaeva E., Gay G., Bernard M., Sourdille P., Feuillet C.	



- Chilean Grapevine Genomics Project: A progress report in the understanding of seed formation, fruit development and interaction with *Botrytis cinerea*** P 3.36  
Peña-Cortés H., Cuadros A., Ramírez I., Pinto M., Fichet T., Riquelme A., Hinrichsen P., Prieto H., Rosales M., González E., Ruíz S.
- Allelic diversity at orthologous candidate genes for drought tolerance in crops: example of the *ASR* gene family** P 3.37  
Philippe R., Courtois B., Billot C., Rami J.F., This D.
- Doubling genome size without polyploidization: dynamics of retrotransposition-driven genomic expansions in *Oryza australiensis*, a rice wild relative** P 3.38  
Piegu B., Guyot R., Picault N., Roulin A., Saniyal A., Kim H.R., Collura K., Brar D.S., Jackson S., Wing R.A., Panaud O.
- A new vectors system to induce genes over-expression in Dicotyledonous plants** P 3.39  
Pogorelko G., Fursova O., Ogarkova O., Tarasov V.
- Linkage mapping of *Cynara cardunculus* L.** P 3.40  
Portis E., Acquadro A., Mauro R., Mauromicale G., Lanteri S.
- Characterisation of autonomous helitrons in monocots** P 3.41  
Radovic S., Scalabrin S., Morgante M.
- The comparison of electrophoretic protein profile of transgenic (Bt) and its non-transgenic counterpart cv. (*Tarom molaii*) by SDS-PAGE** P 3.42  
Rahimpour M., Ghareyazi B., Rahimian H., Sardari S., Vaziri B.
- Two-dimensional gel electrophoresis protein profiling of transgenic (Bt) and its non-transgenic counterpart cv. (*Tarom molaii*) utilizing a prefractionation method** P 3.43  
Rahimpour M., Omidi M., Ghareyazi B., Rahimian H., Sardari S., Vaziri B.
- Molecular and physical analysis of *Quercus suber* retrotransposon genes in members of the Fagaceae family** P 3.44  
Ribeiro T., Pereira S., Pires N., Barão A., Rocheta M., Viegas W., Morais-Cecílio L.
- Transcription profiling of tomato fruit during development reveals ripening regulating genes** P 3.45  
Ronin I., Hirschberg J.
- Cloning of kenaf (*Hibiscus cannabinus* L.) lignin and cellulose major biosynthesis genes sequences** P 3.46  
Ruotolo G., Chiaiese P., Filippone E.

- The relationship of protein and regulatory sequence evolution in a large gene family of stress-induced enzymes in *Arabidopsis thaliana* and related species** P 3.47  
Schmid K., Navarro A., Eichner T.
- Alterations of gene and protein expression in a bread wheat line overexpressing a *lmw-gs* transgene** P 3.48  
Scossa F., Laudencia-Chingcuanco D., Anderson O.D., Vensel W.H., Kasarda D.D., Lafiandra D., D'Ovidio R., Masci S.
- Lentil BBI coding genes: a door for new plant products?** P 3.49  
Sonnante G., Pignone D.
- Telomeres in Alliaceae** P 3.50  
Sykorova E., Fajkus J., Meznikova M., Lim K.Y., Neplechova K., Blattner F.R., Chase M.W., Leitch A.R.
- Marker assisted selection (MAS) of high molecular weight glutenin subunits in bread wheat (*Triticum aestivum* L.) using STS-PCR** P 3.51  
Torabi S., Izadi A., Porseyyedi S.
- A dense SNP-based genetic linkage map of grapevine (*Vitis vinifera* L.) anchored to the sequenced genome of Pinot noir** P 3.52  
Troggio M., Pindo M., Malacarne G., Cartwright D.A., Coppola G., Dematté L., Segala C., Stefanini M., Grando M.S., Zharkikh A., Skolnick M., Gutin A.
- Comparison between heterosis and genetic diversity in barley** P 3.53  
Vazan S., Torabi S.
- Extensive synteny conservation between the stone fruit (*Prunus*) and strawberry (*Fragaria*) genomes** P 3.54  
Vilanova S., Arús P., Sargent D., Monfort A.
- Assessment of linkage disequilibrium for candidate gene identification and marker-assisted breeding in *Musa* spp. (bananas and plantains)** P 3.55  
Vroh Bi I., Tenkouano A.
- Modulating seed maturation by transgenic approaches: effects of improved nutrient status on regulatory networks in seed development** P 3.56  
Weber H., Radchuk R., Weichert N., Sreenivasulu N., Radchuk V., Weichert H., Weschke W.
- The potential of pyrosequencing for genomic sequencing in the complex genome of barley** P 3.57  
Wicker T., Schlagenhauf E., Graner A., Close T.J., Keller B., Stein N.

- Genomic approaches for the identification of downstream targets of HD-ZIP III transcription factors** P 4.1  
Baima S., Forte V., Possenti M., Felici B., Ruberti I., Morelli G.
- Analysis of molecular changes triggered by the phytohormone indole-3-acetic acid: IAA** P 4.2  
Bianco C., Imperlini E., Defez R.
- Transgenic plants expressing bacterial genes as a model system for plant functional genomics** P 4.3  
Bruskin S.A., Mokryakova M.V., Piruzian E.S.
- Towards the cloning of *TOS1*, a gene involved in ABA responses in tomato (*Solanum lycopersicum* L.)** P 4.4  
Castanedo-Couto I., Rosado A., Valpuesta V., Cuartero J., Behndamane A., Botella M.A.
- ROX1*, a tobacco gene involved in procambial cell proliferation and xylem differentiation during stamen development** P 4.5  
Cecchetti V., Pomponi M., Altamura M.M., Falasca G., Serino G., Costantino P., Cardarelli M.
- Identification and validation of candidate genes for barley mutants altered in plant architecture: a synteny-based approach** P 4.6  
Ciannamea S., Nicoloso L., Rossini L., Salamini F., Pozzi C.
- The Arabidopsis homeodomain-leucine zipper II gene family** P 4.7  
Ciarbelli A.R., Carabelli M., Ruzza V., Ciolfi A., Sessa G., Possenti M., Sassi M., Fruscalzo A., Morelli G., Ruberti I.
- Transcriptional and metabolic profiling during organogenic nodule formation in hop** P 4.8  
Fortes A.M., Santos F., Figueiredo A., Choi Y.H., Sousa Silva M., Sousa L., Acioli B., Sebastiana M., Pessoa F., Malhó R., Verpoorte R., Pais M.S.
- Transcriptome analysis of citrus transgenic overexpressing a GA20-oxidase gene** P 4.9  
Huerta L., Fagoaga M., Pérez-Amador M.A., Peña L., García-Martínez J.L., Conejero V.
- Genomic imprinting during seed development in *Arabidopsis thaliana*** P 4.10  
Laoueillé S., Prins P., Spillane C.
- Elucidating the developmental sub-programs of nuclear endosperm using a novel endosperm *in vitro* organ culture system** P 4.11  
Olsen L., Nestestog R., Divon H.H., Lid S.E., Olsen O. A., Opsahl-Sorteberg H. G.
- Characterization of putative regulators of *BKn3*, a barley homeobox gene involved in meristematic activity** P 4.12  
Osnato M., Meynard D., Guiderdoni E., Salamini F., Pozzi C., Rossini L.

- Cloning and characterization of MADS box genes in wheat** P 4.13  
Paolacci A.R., Ciaffi M., Varotto S., Tanzarella O.A., Porceddu E.
- Transcriptome profiling of germination in sugar beet (*Beta vulgaris* L.)** P 4.14  
Pestsova E., Fischer U., Meinhard J., Menze A., Westhoff P.
- Genome-wide analysis of grape berry development by means of high density oligo-DNA arrays** P 4.15  
Pilati S., Perazzolli M., Malossini A., Cestaro A., Demattè L., Dalrì., Bertamini M., Velasco R., Moser C.
- Study of the application of gibberelic acid in different varieties of barley** P 4.16  
Cruz Rey M.C., Aparicio N., Codesal P., Ciudad F
- Allelic series of the *Arabidopsis thaliana* COMATOSE gene provides inside into the control of germination and establishment** P 4.17  
Schmuths H., Dietrich D., Footitt S., Theodoulou F., Baker A., Holdsworth M.
- Down-regulation of the ABA response in a barley endosperm mutant is accompanied with delayed starch accumulation** P 4.18  
Sreenivasulu N., Radchuk V., Usadel B., Borisjuk L., Rolletschek H., Strickert M., Wobus U., Weschke W.
- Analysis of cytokinin biosynthetic genes of the moss *Physcomitrella patens*** P 4.19  
Yevdakova N., von Schwartzenberg K.
- Comparative transcriptome profiling of jasmonate-treated versus control fruit in ripening peach (*Prunus persica* L. Batsch)** P 4.20  
Ziosi V., Bonghi C., Rasori A., Bregoli A.M., Costa G., Torrigiani P.
- Isolation and characterization of *CENTRORADIALIS*/*TERMINAL FLOWER1* homologs from cotton (*Gossypium hirsutum* L. and *Gossypium arboreum* L.)** P 4.21  
Argiriou A., Michailidis G, Alexiou K., Tsaftaris A. S.
- Studying of the role of siRNA transport in the quality of vegetable production in grafted plants** P 4.22  
Mermiga G., Athanasiadou R., Hara T., Kapazoglou A., Tsaftaris A.
- Characterization and expression analysis of *FRUITFULL*- and *SHATTERPROOF*-like genes from peach (*Prunus persica*) and their role in split-pit formation.** P 4.23  
Tani E., Polidoros A. N., Tsaftaris A. S.

<b>Rapid generation of new powdery mildew resistance genes after wheat domestication</b>	<b>P 5.1</b>
Brunner S., Srichumpa P., Yahiaoui N., Keller B.	
<b>Evolution of plant glutathione transferases</b>	<b>P 5.2</b>
Frova C., Soranzo N., Horner D.	
<b>Somatic chromosome and evolution studies in some genotypes of hull-less barley</b>	<b>P 5.3</b>
Ghanbari A., Ghaffaripour S., Karimzadeh G., Siahsar B.	
<b>An SNP caused loss of seed shattering during rice domestication</b>	<b>P 5.4</b>
Konishi S., Izawa T., Lin S.Y., Ebana K., Fukuta Y., Sasaki T., Yano M.	
<b>Genetic control of berry skin color</b>	<b>P 5.5</b>
Lijavetzky D., Ruiz-García L., Cabezas J.A., de Andrés M., Bravo G., Ibáñez A., Martínez-García J., Vicente-Renedo T., Carreño J., Cabello F., Ibáñez J., Martínez-Zapater J.M.	
<b>Evolutionary studies on LRR regions at the locus <i>Gro1</i> in <i>Solanum</i> wild species</b>	<b>P 5.6</b>
Nunziata A., Ruggieri V., Frusciante L., Barone A.	
<b>LTR-Retrotransposon as markers for genome diversity and evolution in wild and cultivated <i>Musa</i> species</b>	<b>P 5.7</b>
Teo C.H., Schwarzacher T.	
<b>Identification of an active DNA transposon nDart under natural growth condition, and its application for gene tagging in rice</b>	<b>P 5.8</b>
Tsugane K., Maekawa M., Takagi K., Eun C. H., Iida S.	
<b>Retrotransposons activity comes out during sunflower embryo and development</b>	<b>P 5.9</b>
Vukich M., Giordani T., Cavallini A., Natali L.	
<b>Association mapping using candidate genes for drought salinity resistance in durum wheat</b>	<b>P 6.1</b>
Arzenton F., Jurman I., Mastrangelo A.M., Cattivelli L., Morgante M.	
<b>A high resolution intra-specific linkage map of pepper (<i>Capsicum annuum</i> L.) based on RILs and QTL analysis of horticultural traits</b>	<b>P 6.2</b>
Barchi L., Lefebvre V., Sage Palloix A.M., Signoret P., Lanteri S., Palloix A.	
<b>Genetic determination of aroma in grapevine (<i>Vitis vinifera</i> L.)</b>	<b>P 6.3</b>
Battilana J., Costantini L., Emanuelli F., Segala C., Moser S., Velasco R., Versini G., Grando M.S.	

- Development of SSR markers specific for the *Lr34* resistance region of wheat using sequence information from rice and *Aegilops tauschii*** P 6.4  
Bossolini E., Krattinger S.G., Keller B.
- Pea seeds: construction of a proteome reference map and analysis of the genetic and environmental variability in the protein composition of three contrasted lines by 2-DE** P 6.5  
Bourgeois M., Jacquin F., Rond C., Houtin H., Marget P., Burstin J.
- Identification of a QTL controlling ascorbate stability in tomato fruit** P 6.6  
Di Matteo A., Sacco A., Carputo D., Frusciante L.
- Identification of SNPs for molecular breeding in *Lolium perenne*** P 6.7  
Farrar K., Thomas A.M., Armstead I., Turner L., Humphreys M.O., Donnison I.S.
- A candidate gene sequence for bacterial wilt resistance in tomato** P 6.8  
Galvez H.F., Narciso J.O., Opina N.L., Canama A.O., Tongson E.J.U., Colle M.G., Hautea D.M.
- Study of the genetic variation in bread wheat genotypes using multivariate technique** P 6.9  
Ghaffaripour S.
- Transposon tagging of insertional mutant genes on agronomic traits induced by the endogenous active MITE, mPing in rice (*Oryza sativa* L.)** P 6.10  
Horibata A., Matsui K., Inoue E., Yoshihiro T., Kawaji H., Nakagawa M., Okumoto Y., Nakazaki T., Tanisaka T.
- QTL analysis of persistence in red clover (*Trifolium pratense* L.)** P 6.11  
Kölliker R., Herrmann D., Boller B., Widmer F.
- Whole genomes scan for association analysis of soybean seed protein content** P 6.12  
Lee S.H., Jun T.H., Van K., Kim M.Y., Kim K.H., Lee S.W.
- Development of ryegrass allele-specific markers (GRASP) for rust resistance in *Lolium perenne*** P 6.13  
Lübberstedt T., Schejbel Andreasen B., Frei U., Xing Y.
- Association mapping for *Soil-borne cereal mosaic virus* resistance in a durum wheat germplasm collection** P 6.14  
Maccaferri M., Ratti C., Rubies Autonell C., Tuberosa R., Govoni E., Vallega V., Sanguineti M.C.
- Biomass and heterosis in *Arabidopsis thaliana*: QTL mapping, metabolite profiling and genome-wide gene expression analysis** P 6.15  
Meyer R.C., Witucka-Wall H., Lisec J., Steinfath M., Becher M., Törjék O., von Korff M., Kusterer B., Selbig J., Willmitzer L., Altmann T.

- Identification, functional analysis and marker development of candidate genes related to malting quality of barley by cDNA-AFLP techniques** P 6.16  
Mikolajewski S., Krumnacker K., Herz M., Schweizer G.
- Towards a genetic map of *Psidium guava*: microsatellite marker development** P 6.17  
Nansot G., Risterucci A.M., Dereeper A., Rodriguez N., Rhode W., Ritter E., Billotte N.
- Flowering time gene/s on the chromosome 3B of Česká Přesívka, alternative wheat variety** P 6.18  
Pánková K., Milec Z., Prášil I.T., Prášilová P., Simmonds J., Leverington-Waite M., Fish L., Snape J.W.
- Detailed characterization of QTLs for heterosis in maize** P 6.19  
Pea G., Pauline Sandra P., Savo Sardaro M.L., Canè M.A., Frascaroli E., Landi P., Morgante M., Porceddu E., Pè M.E.
- Expression QTL analysis in barley seed development** P 6.20  
Pietsch C., Sreenivasulu N., Strickert M., Radchuk V., Weschke W., Röder M., Wobus U.
- Regulation of Photosystem II response on high temperature impact** P 6.21  
Pshybytko N.L., Kalituho L.N., Kabashnikova L.F.
- A candidate gene for yield in wheat acting through effects on leaf width has a possible homologue in maize** P 6.22  
Quarrie S.A., Lazic-Jancic V., Andjelkovic V., Ignjatovic-Micic D., Pekic Quarrie S., Conde-Martinez V., Kaminska A., Barnes J.D.
- Genetic analysis of heterosis for biomass in rapeseed (*B. napus* L.)** P 6.23  
Radoev M., Becker H., Ecke W.
- The use of genetic analysis in quantitative biological traits in durum wheat landraces** P 6.24  
Savaskan C., Coskun Y., Duran R.E., Turan H.N.
- Genetic mapping and QTL analysis of *Microcyclus ulei* resistance in rubber tree (*Hevea* spp.)** P 6.25  
Seguin M., Lespinasse D., Garcia D., Mattos C.R.R., Doaré F., Le Guen V.
- Correspondence between barley QTLs affecting heading date and plant height in recombinant inbred lines of the cross “Azumamugi” x “Kanto Nakate Gold”** P 6.26  
Shahinnia F., Rezai A., Sayed-Tabatabaei B.-E., Komatsuda T., Mohammadi S.-A.
- Genomic approaches to study apple fruit development and maturation** P 6.27  
Soglio V., Schouten H., Costa F., Perini D., Gianfranceschi L.

<b>Regulators determining seed maturation: a genetical genomic approach</b>	<b>P 6.28</b>
Sreenivasulu N., Pietsch C., Radchuk V., Stricket M., Röder M., Weschke W., Wobus U.	
<b>Identification and characterization of expressed genes involved in Fusarium head blight resistance of wheat</b>	<b>P 6.29</b>
Steiner B., Kurz H., Lemmens M., Buerstmayr H.	
<b>The first oat linkage map constructed using androgenetic DH lines</b>	<b>P 6.30</b>
Tanhuanpää P., Manninen O., Kalendar R., Schulman A., Pietilä L., Kiviharju E.	
<b>Uncovering of a major gene for grain cadmium accumulation in oat</b>	<b>P 6.31</b>
Tanhuanpää P., Kalendar R., Schulman A., Kiviharju E.	
<b>Molecular breeding for the improvement of nitrogen use efficiency in maize</b>	<b>P 6.32</b>
Tietze C., Wilde K., Presterl T., Ouzunova M., Westhoff P., Geiger H.H.	
<b>Genetic map development in a 4-way cross for multi alleles and multi genes QTL analysis in durum wheat (<i>Triticum durum</i>)</b>	<b>P 6.33</b>
Trebbi D., Sørensen A., Peleman J., Giuliani S., Maccaferri M., Salvi S., DeAmbrogio E., Tuberosa R.	
<b>Size matters: association mapping for fruit quality in a diverse set of tomato cultivars</b>	<b>P 6.34</b>
Van Berloo R., Ursem R., Bovy A., van Eeuwijk F.	
<b>Rapid and economic mapping of regulatory loci in complex traits using gene expression profiling</b>	<b>P 6.35</b>
Van Poecke R., Sato M., Lenarz-Wyatt L., Katagiri F.	
<b>Using an association (linkage disequilibrium) mapping approach to elucidate the genetic control of phenological traits in <i>Populus nigra</i></b>	<b>P 6.36</b>
Zaina G., Rohde A., Steenackers M., Boerjan W., Morgante M.	
<b>Analysis of genetic diversity in spring safflower (<i>Carthamus tinctorius</i> L.) using morphological characters</b>	<b>P 7.1</b>
Ahmadzadeh A.R., Majedi E., Dadashi M.	
<b>CRY-DASH gene expression is under the control of the circadian clock machinery in tomato</b>	<b>P 7.2</b>
Facella P., Lopez L., Chiappetta A., Bitonti M.B., Giuliano G., Perrotta G.	
<b>Elucidation of the beta-carotene hydroxylation pathway in <i>Arabidopsis thaliana</i></b>	<b>P 7.3</b>
Fiore A., Dall'Osto L., Fraser P.D., Bassi R., Giuliano G.	
<b>Genetic basis of stability of gene expression: variance effect of eQTL</b>	<b>P 7.4</b>
Lacaze X., Orion O., Korol A.	



<b>Molecular characterization of three genes down-regulated in male sterile alloplasmic wheat</b>	<b>P 8.1</b>
Pistón F., Martín A., Barro F.	
<b>Comparison of genomic and EST-derived SSR markers in phylogenetic analysis of wheat</b>	<b>P 8.2</b>
Blanco A., Digesù A.M., Simeone R., Mangini G., Gadaleta A.	
<b>AFLP marker-assisted characterization of mulberry (<i>Morus</i> ssp.) cultivars for the setting up of a haplotype-based identification method</b>	<b>P 8.3</b>
Botton A., Barcaccia G., Cifali G., Ramina A.	
<b>Simple sequence repeats (SSR) markers for genomic comparison of different <i>Crocus</i> species</b>	<b>P 8.4</b>
Costa F., Limongi T., Pizzichini D., Chicchiricò P., Spanò L.	
<b>Genetic variability of <i>Echinacea purpurea</i></b>	<b>P 8.5</b>
Crăciunaș C., Keul A.-L., Coste A., Vălimăreanu S., Șuteu A., Deliu C.	
<b>Molecular characterization of several grapevine clones from Romania</b>	<b>P 8.6</b>
Crăciunaș C., Coste A., Vălimăreanu S., Farago M., Iliescu M., Iuoraș R., Dordea M., Keul A.L.	
<b>Morphological and molecular characterization of rice (<i>Oryza sativa</i> L.) cultivars</b>	<b>P 8.7</b>
Evera T., Vanagamudi K.	
<b>Ice Age III - or where have all the poplars gone?</b>	<b>P 8.8</b>
Fussi B., Heinze B.	
<b>Phylogeny of genus <i>Triticum</i> L. based on chloroplast trnL and matK sequences</b>	<b>P 8.9</b>
Goncharov N.P., Golovkina K.A., Glushkov S.A., Blinov A.G., Mayorov V.I., Adkison L.R.	
<b>Molecular and phenotypic variation in a barley collection</b>	<b>P 8.10</b>
Haseneyer G., Stracke S., Sauer S., Graner A., Geiger H.H.	
<b>Characterization grapevine (<i>V. vinifera</i>) genetic resources in Bulgaria by microsatellite analysis</b>	<b>P 8.11</b>
Hvarleva T.D., Dzhambazova T., Russanov K., Tsvetkov I., Atanassov A., Atanassov I.	
<b>Cytoplasmic genome diversity of rye</b>	<b>P 8.12</b>
Isik Z., Ceyda Coruh C., Su S., Beecher B., Budak H.	
<b><i>Triticum monococcum</i>, the ancient grain which turned Stone Age nomads into farmers</b>	<b>P 8.13</b>
Jing H.C., Lovell D., Korniyukhin D., Kanyuka K., Orford S., Field M.A., Mitrofanova O.P., Koebner R., Hammond-Kosack K.	

- Minisatellites as DNA markers to classify bermudagrasses (*Cynodon* spp.): confirmation minisatellite in amplified products** P 8.14  
Karaca M.
- Somaclonal variation of two species of *Echinacea*** P 8.15  
Keul A., Coste A., Vălimăreanu S., Şuteu A., Deliu C., Crăciunaş C.
- RAPD and RFLP profiles of several grapevine cultivars from Romania** P 8.16  
Keul A.L., Coste A., Vălimăreanu S., Popescu F., Iuoraş R., Farago M., Iliescu M., Deliu C.
- Molecular identification of several ancient *Vitis* varieties using enlarged standard set of SSR mark** P 8.17  
Leišová L., Jandurová O.M.
- The GABI-Kat *Arabidopsis thaliana* T-DNA mutagenised population for flanking sequence tag-based reverse genetics: 2006 update** P 8.18  
Li Y., Rosso M.G., Viehoveer P., Weisshaar B.
- Genetic analysis of grain quality characters of two line rice hybrids (*Oryza sativa* L.)** P 8.19  
Mahalingam L., Nadarajan N.
- Exploring the *R* genes diversity in tomato wild species** P 8.20  
Melito S., Faino L., Frusciante L., Ercolano M.R.
- Analysis of genetic diversity in rapeseed (*Brassica napus*) cultivars using microsatellite and RAPD markers** P 8.21  
Moghaddam Vahed M., Mohammadi A., Mohebalipour N., Toorchi M., Aharizad S.
- Assessment of genetic diversity in maize inbred lines using microsatellite markers** P 8.22  
Mohammadi S.A., Sabet M.S., Toorchi M., Choukan R., AhariZad S.
- Evaluation of genetic diversity in the subspecies of *Aegilops tauschii* using morphological and AFLP markers** P 8.23  
Naghavi M.R., Amirian R., Busheri A.A.S., Omidi M.
- Origin and diversification of genus *Echium* L. in Cape Verde Islands: a phylogenetic study based on ITS (rDNA) and non-coding regions of cpDNA sequences** P 8.24  
Romeiras M.M., Paulo O.S., Cotrim H., Duarte M.C., Pais M.S.
- Assessment by fAFLP of genetic diversity within the Italian germplasm of durum wheat** P 8.25  
Sciacca F., Fichera C., Blanco C., Di Silvestro S., Palumbo M.

- Molecular evolution within *Cynara*: evidence for the domestication of artichoke and cardoon** P 8.26  
Sonnante G., Pignone D.
- Analysis of the *Lolium* plant genetic resources and development of molecular passports** P 8.27  
Sretenovic Rajjic T., Kuenne C., Scholz U., Willner E., Graner A., Dehmer K.J.
- Asparagales telomerases which synthesize the human type of telomeres** P 8.28  
Sykorova E., Leitch A.R., Fajkus J.
- Genetic diversity for drought tolerance in bread wheat (*Triticum aestivum* L.) genotypes** P 8.29  
Tavakol E., Izadpanah K., Pakniyat H.
- Inhibition of potyvirus translocation from inoculated potato leaves in a segregating diploid potato population<sup>0</sup>** P 8.3  
Vuorinen A.L., Gammelgård E., Mohan M.L., Somervuo P., Auvinen P., Valkonen J.P.T.
- Characterization of Bulgarian cereal germplasm by SSR markers** P 8.31  
Zheleva D.D., Kostova A.R., Todorovska E.G., Christov N.K., Atanassov A.I.
- Cytotype distribution and morphometric variation of the *Gymnadenia conopsea* complex throughout the Czech and Slovak Republic** P 9.1  
Kubatova B., Travnicek P., Suda J., Curn V.
- Effect of after anthesis heat stress on source limitation and grain yield in tolerant and sensitive bread wheat (*Triticum aestivum* L.) genotypes** P 9.2  
Modhej A., Behdarvandi B.
- Peroxidases in very early responses of different potato cultivars to PVYNTN infection** P 9.3  
Milavec M., Gruden K., Ravnikar M., Kovač M.
- Monitoring gene expression in response to short- and long-term water stress in potato** P 10.1  
Ambrosone A., Costa A., Perrotta G., Leone A., Grillo S.
- Plant N metabolism in oxygen shortage conditions** P 10.2  
Antonacci S., Ferrante A.
- GMOs and genetic contamination: tools and practices for *Brassica* and *Solanum* under Finnish condition** P 10.3  
Erkkilä M., Kalendar R., Pahkala K., Mustonen L., Peltonen-Sainio P., Schulman A.

- Engineering stomatal activity for drought tolerance in plants** P 10.4  
Galbiati M., Cominelli E., Simoni L., Tonelli C.
- Identification of a linked sequence to the *Lr19* leaf rust resistance gene by NBS-profiling of durum wheat *Thinopyrum ponticum* recombinant lines** P 10.5  
Gennaro A., Koebner R.M.D., Ceoloni C.
- Accumulation of phenylphenalenones in *Musa Grand Naine* roots – a key for the development of transgenic plants more resistant towards pathogens?** P 10.6  
Hoelscher D.
- Rice, wheat and mungbean yields in response to N levels and management under a bed planting system** P 10.7  
Hossain M.I., Sufian M.A., Meisner C.A., Duxbury J.M., Lauren J.G., Waddington S.R.
- Improvement abiotic stresses in yeast and in transgenic potato plants by *Pleurotus sajor-caju* GPD gene transfer** P 10.8  
Jeong M.J., Lee S.K., Seo H.W., Kwon T.R., Yoon H.J., Lee J.O., Byun M.O., Park S.C.
- Correlation studies for agronomic traits in advanced wheat lines** P 10.9  
Khan N., Naqvi F.N.
- Medicago truncatula* root nodule proteomic analysis** P 10.10  
Larrainzar E., Wienkoop S., Ladrera R., Weckwerth W., Arrese-Igor C., González E.M.
- Molecular responses in controlled field conditions: expression of a DREB-related gene in durum wheat** P 10.11  
Latini A., Sharma S., Sperandei M., Cantale C., Dettori M., Ammar K., Galeffi P.
- On the way to the isolation of novel downy mildew and powdery mildew resistance genes IN *Brassica oleracea* L. and *Pisum sativum* L.** P 10.12  
Leitão J.M., Farinhó M.J., Pereira G.M., Sousa N.F., Guerreiro P.S., Marques C.F., Dâmaso M.P., Coelho P.S., Monteiro A.A.
- IDuWUE project. I. Identification of QTLs for drought-related traits in a durum wheat RIL population evaluated in the Mediterranean area under varying water regimes** P 10.13  
Maccaferri M., Sanguineti M.C., Rotondo F., Araus J.L., Ben Salem M., Bort J., DeAmbrogio E., Demontis A., El-Ahmed A., Garcia del Moral L.F., Isidro J., Maalouf F., Martos V., Motawai J., Nachit M.M., Nserallah N., Ouabbou H., Rhouma S., Royo C., Slama A., Villegas D., Tuberosa R.
- IDuWUE project. II. Identification of chromosome regions controlling drought-related traits in a durum wheat germplasm collection evaluated in the Mediterranean area under varying water regimes** P 10.14  
Maccaferri M., Sanguineti M.C., Natoli V., Araus J.L., Ben Salem M., Bort J., De Ambrogio E., Demontis A., El-Ahmed A., Garcia del Moral L.F., Isidro J., Maalouf F., Martos V., Motawai J., Nachit M.M., Nserallah N., Ouabbou H., Rhouma S., Royo C., Slama A., Villegas D., Tuberosa R.

- Expression profiling of tomato developing flowers in response to high temperature** P 10.15  
Massarelli I., Giorno F., Barone A., Grandillo S., Giovannoni J.J., Monti L., Leone A., Grillo S.
- Transcriptional and metabolic characterization of *Vitis vinifera* (cv. Corvina) berry ripening and post-ripening processes** P 10.16  
Minoia L., Zago E., Dametto D., Ferrarini A., Polesani M., Tornielli G.B., Zamboni A., Delledonne M., Pezzotti M.
- Molecular characterization of resistance to Fusarium head blight in wheat (*Triticum aestivum* L.)** P 10.17  
Muhovski Y., Ducourouble M., Dekeyser A., Jacquemin J. M.
- Isolation of cowpea genes conferring drought tolerance: construction of a cDNA drought library** P 10.18  
Oelofse D., Gazendam I.
- Isolation and characterization of drought stress related genes from potato** P 10.19  
Park S.R., Shin D.J., Yun H.J., Lee S.K., Kwon T.R., Jeong M.J., Park S.C., Byun M.O.
- Development of CAPS markers for linkage mapping and studies of genetic diversity in barley** P 10.20  
Rostoks N., Mudie S., Waugh R.
- Development of wheat germplasm tolerant to biotic and abiotic stresses in dryland areas of Iran for high yield potential** P 10.21  
Roustaii M., Hosseiny K., Hosseinpour T., Sadeghzadeh D., Zadhassan E., Kalateh M., Haghparast R., Jafarby J.A., Hosni M.H., Torabi M., Roohi E., Ahmadi M.M.
- Initial cross-talk between host and endophyte in the ectomycorrhizal symbiosis** P 10.22  
Sebastiana M.G., Dos Santos B.A., Figueiredo A.C., Pessoa F.V., Baldé A., Sousa L., Pais M.S.
- Transcriptional profiles of wheat genotypes reflect their differences in drought adaptation strategies** P 10.23  
Secenji M., Miskolczi P., Lendvai A., Zombori Z., Stein N., Schweitzer P., Dudits D., Györgyey J.
- Advanced bread wheat lines carrying *Cre2*, *Cre7*, *H27* and *H30* resistance genes transferred from *Ae. ventricosa* and *Ae. triuncialis*** P 10.24  
Sin E., Martín-Sánchez J.A., López-Braña I., Simonetti E., Fé Andrés M., Del Moral J., Moreno S., Torres i Ruíz L., Briceño G.F., Delibes A.
- Legal issues on genetically modified food and agriculture sustainability** P 10.25  
Upadhyay Y.
- Wheat-rice colinearity at the *Yr15* stripe rust resistance gene region in tetraploid wheat** P 10.26  
Yaniv E., Gelfarb L., Distelfeld A., Korol A., Nevo E., Fahima T.