

# SPEAKERS' ABSTRACTS

---

- How useful is *Arabidopsis* for the discovery of crop-traits?** S Op.1  
Inzè D.
- Triticeae genomics: bridging the gap for the advancement of essential crops for European science and economy** S Op.2  
Feuillet C., Stein N.
- Uncovering genetic control of flowering time in rice** S Op.3  
Yano M., Izawa T., Matsubara K., Yamanouchi U.
- Is junk DNA all junky?** S Op.4  
Morgante M., Radovic S.
- Plants for the future in the 7<sup>th</sup> EC framework programme** S Op.5  
Patermann C.
- Maize genomics: new tools and complexities** S 1.1  
Schnable P. S.
- The common sequence variation of *Arabidopsis thaliana* ss revealed by whole genome resequencing arrays** S 1.2  
Clark R. M., Ossowski S., Schweikert G., Shinn Z. P., Ratsch G., Warthmann N., Fu G., Hinds D., Chen H., Frazer, Toomajian C., Hu T., Huson D. H., Schölkopf B., Nordborg M., Ecker J., Weigel D.
- Deep transcriptional profiling of plant small RNAs** S 1.3  
Meyers B., Lu C., Kulkarni K., Souret F., Wang W., Pillay M., Tej S., Green P.
- Arabidopsis* protein microarrays: a high-throughput platform to find novel protein kinase substrates in vitro** S 1.4  
Feilner T., Hultschig C., Lee J., Meyer S., Immink G.H., Kreutzberger J., Scheel D., Kersten B.
- High definition genome profiling for genetic marker discovery in plants** S 1.5  
Zhu T., Xia Y., Chilcott C., Dunn, Zhou N., Dace G., Grivet L., Dietrich B., Arbuckle J., Gay G., Puddephat I., Salmeron J.
- Towards high-throughput genotyping in wheat using mapped SNPs: the second step** S 1.6  
Reid A. L., O'Sullivan H., Barker G., Berry S., Edwards K. J.

- Application of web-based expression profiling software to specify the genetic program activated in legume root endosymbioses** S 2.1  
Hohnjec N., Dondrup M., Bekel T., Henckel K., Goesmann A., Limpens E., Küster H.
- Bioinformatics for the structural and functional analysis of the tomato genome** S 2.2  
Chiusano M. L.
- Allelic variation in the 5'upstream region of targeted candidate genes for drought tolerance in rice** S 2.3  
V. B. Reddy L., Markandeya G., Reddy B. V., Reddy A. R.
- Crop information systems – the next generation** S 2.4  
Bruskiewich R., Davenport G., Senger M., Metz T., Ruiz M., Dereeper A., Takeya, Hazekamp T, Rouard M., Simon R., Rojas E., J. Balaji, A. Akintunde, M. Costa, M. Bink, S.t Wanchana, R. Mauleon, J. Morris, A. Farmer, Subhash Chandra, Shoshi Kikuchi, S. Gaiji, McLaren G., Van Hintum T.
- Sequencing the euchromatin of *Medicago truncatula* a reference for legume biology** S 3.1  
Oldroyd G. E. D.
- Genomics and populus leaves** S 3.2  
Jansson S.
- The first genome sequence of an elite grapevine cultivar (Pinot Noir; *Vitis vinifera* L.): coping with a highly heterozygous genome** S 3.3  
Velasco R. , Zharkikh A., Troggio M., Bhatnagar S., Pindo M, Cartwright D., Coppola G., Eldredge G., Segala C., Mitchell J., Stefanini M., Gutin N., Grando S., Pruss D., Dematté L., Cestaro A., Toppo S., Fontana P., Skolnick M., Gutin A., Salamini F., Viola R.
- The French-Italian public consortium for the sequencing of the grapevine nuclear genome** S 3.4  
Quetier F., Adam-Blondon A. F., Choisine N., Wincker P., Clepet C., Caboche M., Morgante M., Pè E., Valle G., Weissenbach J.
- Transposable elements in *Brachypodium*: implications for genome organization and molecular marker development** S 3.5  
Kalendar R., Chin Gu Y., Schulman A. H.
- The family of Dof transcription factors in barley: transcriptional regulatory network of maturation-germination phases in seeds** S 3.6  
Diaz I., Moreno-Risueño M. A., Fuentes, Martinez M., Sanchez O., Alonso R., Vicente-Carbajosa J., Carbonero P.
- To grow or not to grow** S 4.1  
Harberd N.

<b>Genomics of root branching as strategy to reveal the auxin-cell cycle link in organogenesis</b>	<b>S 4.2</b>
Beeckman T.	
<b>Enhancement of abscisic acid sensitivity and reduction of water consumption in <i>Arabidopsis</i> by combined inactivation of the protein phosphatases type 2c <i>Abi1</i> and <i>Hab1</i></b>	<b>S 4.3</b>
Saez A., Rodriguez P. L.	
<b>Insights into the cis-regulatory role of <i>Vgt1</i> a QTL for flowering time in maize</b>	<b>S 4.4</b>
Salvi S., Morgante M., Sponza G., Tomes D., Tuberosa R.	
<b>Gene expression in sexual and parthenogenetic egg cells of wheat</b>	<b>S 4.5</b>
Hähnel U., Koszegi D., Tiedemann J., Johnston A., Czihal A., Varshney A., Kuhmlehn J., Grossniklaus U., Bäumllein H., Altschmied L.	
<b>Involvement of vesicular trafficking in abiotic stress tolerance</b>	<b>S 4.6</b>
Botella M. A., Schapire A., Posé D., Rosado A., Voigt B., Baluska F., Valpuesta V.	
<b>The wheat A genomes</b>	<b>S 5.1</b>
Salamini F.	
<b>The domestication of potato</b>	<b>S 5.2</b>
Ramsay G., Mclean K., Waugh R., Spooner D. M., Bryan G.J.	
<b>The origins of six-rowed barley</b>	<b>S 5.3</b>
Komatsuda T., Pourkheirandish M., Azhaguvel P, He C., Tagiri A., Fujimura T., Stein N., Perovic D., Kanamori H., Wicker T., Matsuoka M., Matsumoto T.	
<b>Polymorphism in the A genome of tetraploid wheats and their diploid putative A genome donor</b>	<b>S 5.4</b>
Galluzzi G., Savo Sardaro L., Vendramin G., Porceddu E.	
<b>QTL genomics and improving abiotic stress tolerance in wheat and barley</b>	<b>S 6.1</b>
Langridge P.	
<b>Towards breeding by design: novel tools and methods for efficiently mapping traits</b>	<b>S 6.2</b>
Peleman J. D., Sørensen A., Buntjer J., Van Eijk M., J. Van Der Voort R.	
<b>A genetical-genomics approach to understanding abiotic stress response in <i>Populus</i></b>	<b>S 6.3</b>
Street N. R., Tucker J., Skogström O., Brosche M., Sjödin A., Rodríguez-Acosta M., Kangasjärvi J., Jansson S., Taylor G.	

- The ‘Nure’ x ‘Tremois’ population for discovering loci for environmental adaptation in barley** **S 6.4**  
Pecchioni N., Francia E., Stanca A. M.
- Identification of genes related to potato after-cooking darkening using potato genomic and proteomic** **S 6.5**  
Wang-Pruski G., Griffiths R., Lagüe M., Murphy P., Dekoeyer D., Pinto D. M., Rothwell C., Gustafson V., Flinn B., Regan S.
- What we would really like to know (but don’t) about phenotypic plasticity** **S 7.1**  
Pigliucci M.
- Genetic and genomics of microRNA-directed functions in plants** **S 7.2**  
Voinnet O.
- Screening tools to identify genes of adaptive significance in plants: molecular plasticity and patterns of nucleotide diversity. A case study in Maritime Pine** **S 7.3**  
Plomion C., Garnier-Gere P., Eveno E., El Mujtar V., Chaumeil P., Moreau M., Audigeos D., Lalanne C., Leger, Abadie P., Leger P., Brach J.
- Genetic control of phenotypic plasticity** **S 7.4**  
Lacaze X., Orion O., Korol A.
- The retrotransposon-like Cdt-1 from the resurrection plant *Craterostigma plantagineum* induces dehydration tolerance through a siRNA mechanism** **S 7.5**  
Furini A., Borgato L., Varotto S., Salamini F., Bartels D.
- Recessive resistance against plant viruses: characterization of the *Nsv* locus in melon and colinearity with model plant species** **S 8.1**  
Garcia-Mas J.
- Molecular phylogeny and evolution of tuber-bearing *Solanum* species** **S 8.2**  
Vosman B., Jacobs M., Wang M., Van Den Berg R.
- Development and application of high-throughput infrared spectroscopy methods to study bioenergy-associated traits in grasses** **S 8.3**  
Donnison I., Thain S., Hatch R., Adams, Hodgson E., Morris, Hawkins S., Clifton-Brown J., Morris P.

<b>Development of a near isogenic line population of <i>Arabidopsis thaliana</i></b>	<b>S 8.4</b>
Keurentjes J.J.B., Bentsink L., Alonso-Blanco C., Hanhart C. J., Blankestijn-De Vries H., Effgen S., Vreugdenhil D., Koornneef M.	
<b>Independent wheat B and G genome origins in outcrossing <i>Aegilops</i> progenitor haplotypes</b>	<b>S 8.5</b>
Kilian B., Özkan H., Deusch O., Effgen S., Brandolini A., Kohl J., Martin W., Salamini F.	
<b>Plant-enemy interactions and the evolution of plant metabolic diversity</b>	<b>S 9.1</b>
Kroymann J.	
<b>Population genomics of apical bud phenology in european oaks</b>	<b>S 9.2</b>
Kremer A., Derory J., Casasoli M., Garnier-Géré P., Plomion C.	
<b>Association genetics of natural genetic variation and complex traits in pine</b>	<b>S 9.3</b>
Neale D. B., Lee J. M., Wegrzyn J. L., Stevens K., Langley C. H.	
<b>Genomics of adaptation to north: flowering time in <i>Arabidopsis lyrata</i></b>	<b>S 9.4</b>
Kuittinen H., Tervakoski S., Quilot B., Savolainen O.	
<b>Genomics-based strategies for the development of “Green Super Rice”</b>	<b>S 10.1</b>
Zhang Q.	
<b>Unlocking genetic diversity for improving food crop adaptation</b>	<b>S 10.2</b>
Glaszmann J. C.	
<b>Improvement of water-use efficiency in crop plants</b>	<b>S 10.3</b>
Karaba A., Dixit S., Trijatmiko K. R., Aharoni A., Nataraja K. N., Udayakumar M., Pereira A.	
<b>On the way to the isolation of novel downy mildew and powdery mildew resistance genes in <i>Brassica oleracea</i> L. and <i>Pisum sativum</i> L.</b>	<b>S 10.4</b>
Leitão J. M., Farinhó M. J., Pereira G. M., Sousa N. F., Guerreiro P. S., Marques C. F., Dâmaso M. P., Coelho P. S., Monteiro A. A.	
<b>Stress inducible gene expression and its impact on seed and plant performance. A microarray approach</b>	<b>S 10.5</b>
Ligterink W., Kodde J., Lammers M., De Maagd R., Hilhorst H.	

**Transcriptomic analyses of natural and induced mutants of citrus reveal key genes limiting physiological processes of major relevance to the citrus industry**

**S 10.6**

Alos E., Agusti J., Brumos J., Carrera E., Cercos M., Colmenero-Flores J.M., Conesa A., Ibáñez V., Iglesias D., Lliso I., Lopez A., Mínguez-Mosquera M.I., Naranjo M.A., Rios G., Roca M., Rodrigo J., Rose J., Ruiz O., Soler G., Tadeo F., Terol J., Zacarias L., Talon M.

**Endosymbiosis and endosymbiotic gene transfer: the last four billion years have been great but what have organelle genomes done for us lately?**

**S CI.1**

Martin W.